



Chain



GPS+GPRS

Precision positioning via communication base, GPS, and Wi-Fi signal in GSM communication network



GPS Positioning



Automatic & scan code to unlock



IP6 Waterproof



Stable & Durable hardware



OTA




Efficient Unlocking



GPS positioning, reporting real-time timing information



Lock unlock the lock after the completion of the successful return to the server, the server began billing



After the end of the ride, the user manually lock, the end of billing and deduction.



Weight: 1.2KG





External Power: Solar Panel on the bike




Al alloy shell,
10mm stainless steel circle,
sealed plastic box inside

IP67

(completely dust-proof, rain-proof, soak 30min.)



Over 100,000 times endurance test with different circumstances.



Product Specification

Model	OGG1 (Outdoor GPS Tracker)	Material	ABS Plastic
System	Omni	GPS	Real-time tracking, GSM, GPRS, SMS, LBS, etc.
Frequency	Global Frequency	Network	GSM850Mhz, EGSM900Mhz, DCS1800Mhz, PCS1900Mhz
Dimensions	196 * 150 * 65 (mm ± 0.1)	GPRS	Real-time tracking, SMS, LBS, etc.
Weight	1.2g	Power	Real-time tracking, SMS, LBS, etc.
Light	Red LED, Blue LED, Green LED	Light	Real-time tracking, SMS, LBS, etc.

IP67	IP67	IP67	IP67
2-3months (months)	2-3months (months)	2-3months (months)	-40 - 85
5-12months (months)	5-12months (months)	5-12months (months)	-20 - 65
2 3	2 3	2 3	5 -95

Product Features

Features	Feature 1	Feature 1 Description	Feature 1 Value
	Feature 2	Feature 2 Description	Feature 2 Value
	Feature 3	Feature 3 Description	Feature 3 Value
	Feature 4	Feature 4 Description	Feature 4 Value
	Feature 5	Feature 5 Description	Feature 5 Value
Feature 6	Feature 6 Description	Feature 6 Value	(Value)
Feature 7	Feature 7 Description	Feature 7 Value	
Feature 8	Feature 8 Description	Feature 8 Value	
Feature 9	Feature 9 Description	Feature 9 Value	
Feature 10	Feature 10 Description	Feature 10 Value	
Feature 11	Feature 11 Description	Feature 11 Value	
Feature 12	Feature 12 Description	Feature 12 Value	
Feature 13	Feature 13 Description	Feature 13 Value	
Feature 14	Feature 14 Description	Feature 14 Value	
Feature 15	Feature 15 Description	Feature 15 Value	

Custom Question

Omni

...

OEM ODM

1000 = ODM OEM

...

...



Flow chart



Workshop



Exhibition



Package



R&D Team



Sale Team



Business Negotiations



Shipping