[illegible]

[illegible]. Omni [illegible] [illegible]. Omni [illegible].

APPEARANCE

Ultrasonic sensing

Geomagnetic sensing

Bluetooth connection

Control distance: ≤10M


Overvoltage Protection
180°Crashproof
Automatic reset
Anti-dismantle
NO PARKING
Waterproof& Anti-corrosion
IP67
Steel casing
Bluetooth module & Intelligent chip
motor
control box
waterproof ring
bumping post
6V-
6V+
GND
LED

Overvoltage
Protection
180°Crashproof
Automatic reset
Anti-dismantle
NO PARKING
Waterproof&
Anti-corrosion
IP67



Product Festures

1. □□ □□□□□□□□□ □□□ □□ □□□□□□ □□□□□□□□ □□□□ □□□ □□□□□□ □□□□□□□□ □□□□□ □□□□□ □□□□ DC □□□□□□□□ □□□□ □□□□□ □□□□□ □□□□□ □□□□□□□ □□□ □□□□□□□□ □□□□□□□ □□□□□ □□□□□□□ □□□□□ □□ □□□□ □□□□□□.

2. □□ □□□□□□ □□□□□ □□□□□ □□□□□ □□□□□ □□□ □□□□□ □□□□ [□□□□□□□□ □□□□□ □□□ □□□ □□□ □□□ □□□□ □□ □□□□□□□□□ □□□ □□□□□ □□□□□□□ □□□□ □□□□□□ □□□□□ □□□□□□□□ □□□□□□□□ □□□□ □□□□ □□□□□□ □□□□□□□□□ □□□ □□□□ □□□ □□□□□□□ □□□□□.

3. □□□□ □□□□□□□ □□□□□□ □□□□□□□□ □□□□□□□ □□□□ □□□□□□□□ □□□□ □□□ □□□□□ □□□ □□ □□□□□□□□ □□□□ □□□ □□□□ □□□ □□ □□□□ □□ □□□□ □□□□□□□□.

4. □□□□□ □□ □□□□□ □□□□□□□ □□□□□□ □□□ □□ □□□□□□ □□□□□ □□□□□□□□ □□□□ □□□ □□□□

□□ □□□□□□□□□ □□□□□□□ □□ □□□□□□□□ □□□ □□□□□□□□ □□□□ □□□□□□□□□ □□□□□□□□□□□ □□□□□ □□□□ □□□□□□□ □□□□□□ □□□□□ □□□□.

5. □□□□□□ □□ □□□□□□□ □□□□ □□□ □□□□□□ □□□□□□ □□ □□□□□ □□□□□□□.

6. □□□□□□ □□□□□□□ □□□□□□ □□□□ □□ □□□□□□□ □□□ □□ □□□□□□ □□□□□□□□ □□□□ □□□ □□□□□□□□ □□□□□□□.

7. □□□□□ □□ □□□□□ □□□□□ □□ □□□□ □□□□ □□□□□ □□ □□□□□□ □□□□ □□□□□ □□□□□ □□□□ □□□ □□□□□□□□.

8.□□□□□□ □□ □□ □□□□□□□□ □□□□□□□ □□□ □□□□□□□□ □□□□□□□ [□□□□□□□□ □□□□□ □□□] □□ □□□□□ □□□ □□□□ □□□□□□□□□ □□□□ □□□□□□□□.

Applications

□□□□□ □□□□ □□□□□□□□□□ □□□□□ □□□□ □□□□□□□□□ □□□□□ :□□□□□□□□ □□□□□□□□ □□□□ □□□□□□□□□ □□□□ □□□□□□□□ □□□□□□ □□□□□□ □□□□□□□ □□□□□□□□□□□ □□□ □□□□□□ □□□□ □□□□□□□□□ □□□□□ □□□ □□□□□.

Custom Question

□□□□ □□□ :□ **Omni** □□□□□□□

□□□□□□ □□□□□□□□ □□□□□□ □□□□□□□ □□□□□ □□□ □□□□□□□ □□□□□□ □□□ □□□□ □□ □□□ :□

□□□□ □□ □□□□□□□□ □□□□□□□ □□□□□□□ □□□□□□□□ □□□ □□□□□□□ □□□□ .□□□□□ □□□□□
.□□□□□□□ □□□ □□□□□□□ □□□□□□□ □□□□□

□: OEM □ □□□□ ODM □□□□□□

□□□ :□□Omni □□□□□□ □□□□□□□ □□□□ □□ □□□□ ODM □OEM .□□□□ □□□□□ □□□□□□

□□□□□□□□ □□□□□□ □□□□□□□ □□□□□□ □□ □□□□ :□

.□□□□□□□ □□□□□ □□□□□ □□□□□□ □□ □□□□ :□

□

□□□ □□□□□□□ □□□□□ □□□□□□□ □□□□□□□□ □□□□□ □□ .□□□□□□□ □□□ □□□□□□□ .□ :□
□□□ □□□□□□ □□□□□ □□□□□□□□ □□□□ □□ □□□□ □□□□□□ □□□□□□ □□□□□□ □□□□□□□□
.□□□□□□ □□□□□□□
.□□□□□□□ 40 □□ □□□□ □□□ □□□□□□ □□□ □□□□ □□ □□□□□□ □□□□ □□□□□ □□□□□ □□□□□□ .□
□□□□□ □□□□□ □□□□□ .□ ODM □ OEM .□□□□
□□□□□ □□□□□□□ □□ □□□□□□□ □□□□□ %5 □□ □□□ □□□ □□□□□□□ □□□□□ □□ □□□□□□□ .□
.□□□□□□□
.□□□□□□□ □□□□□ □□ □□□□□□ □□□ □□□□□□□□ □□□ □□□ □□□□ □□□ □□□ □□□ .□

□

□□□□□□□□□ □□□□□ □□□□□□ □□□□□ □□□□□□□□ □□□ □□□□ □□□□□□ □□□ □□□□□□ □□□□ □□□ :□
□□□□□□□□□□□□ □□□□□□□ □□□□□ □□□□□□□.

Company introduction

□□□□□ Omni □□□□ □□□ Intelligent Technology Co., Ltd. □□□□□ □□ Shenzhen Lianchuang □□□□□ □□ □□□□□□ □□□□□□□ □□□□□□□□□□□□ □□□□□ □□□□□ □□□ □□□□□□□□
□□□□□ □□□□ □□□□□□ □□□□□□ □□□□□□□ □□□□□□ □□□□□ □□□□□ □□□□ □□□□□□ □□□□□□□□
□□□□□□□□□□□ □□□□□□□.Omni □□□□ 100 □□ □□□□ □□ □□□□□ □□□□□□ □□□□□□□□ □□□□
□□□□□□ □□□ □□□□□□.

Omni .□□□□□□□ □□□□□□□ □□□□□□ □□□□□□ □□□□□□□□□□□ □□□□□□ □□□□□□□ □□□ □□□
□□□□□□ □□□□ □□□□□□□ □□□□□ □□□□□ □□□□ □□□□□□ □□□□□ □□□□□□ □□□□□□ □□□□□
.□□□□□

□□□ □□□ □□□□□□ □□□□□□ □□□□□□□□ 30 □□ □□□□ ●
□□□□□□□□ □□□□□ □□□□ □□ □□□□□ 40 □□ □□□□ ●
□□□□□□□ □□□□□ □□□□□□□ □□□□ □□□ 4000 □□ □□□□ ●
□□□□□□□ □□□□□□□ □□□□□□□ □□□□ □□□□□□□ □□□□□□□ ●

Flow chart

Workshop

R&D Team

Exhibition

Sale Team

Package

Business Negotiations

Shipping