

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

XX Omni XXXX XXXXXXXX APPXXXXXXXXXXXX
Omni XXX





APPEARANCE



Ultrasonic sensing



Geomagnetic sensing




Bluetooth connection
Control distance: $\leq 10M$

Overvoltage Protection

- ◆ 180° Crashproof
- ◆ Automatic reset
- ◆ Anti-dismantle



Waterproof &
Anti-corrosion
IP67



Bluetooth module &
Intelligent chip






Overvoltage Protection

- ◆ 180°Crashproof
- ◆ Automatic reset
- ◆ Anti-dismantle



Waterproof &
Anti-corrosion

IP67



Product Features

1. 1. 2. 3. 4. 5. 6. 7.
2. 1. 2. 3. 4. 5. 6. 7.
3. 1. 2. 3. 4. 5. 6. 7.
4. 1. 2. 3. 4. 5. 6. 7.
5. 1. 2. 3. 4. 5. 6. 7.
6. 1. 2. 3. 4. 5. 6. 7.
7. 1. 2. 3. 4. 5. 6. 7.

C. 100% ODM/OEM

d. 10% 5%

e. 100%

□

A: 100%

Company introduction

Omni 100%

Omni 100%

- 30%
- 40%
- 4000%
- 100%



Flow chart



Workshop



Exhibition



Package



R&D Team



Sale Team



Business Negotiations



Shipping