

# LED USB COB

## LED

C1 Omni. LED 3

### FUNCTION



1. LED

1. LED

2. LED

3. LED

3

2

2

5

3

1.

2.

3.

4.

5.

6.

LED

### Construction Parameters



1	C1
2	3
3	ABS
4 LED	3
5	110mm*65mm*30mm
6	125
7	433M
8	DC5V 800Ma
9	85
10	5m
11	2200
12	180
13	-20~60°C
14	IPX4
15	7
16	3.5
17	14
18	3
19	4
20	2.5

□□

- 1. 433M □□□□ 1pcs
- 2. □□□□1□
- 3. □□□□1□
- 4. □□□ 1pcs
- 5. □□□□□ 3pcs
- 6. USB□□□□1□
- 7. □□□ 1pcs

● Product Picture

omni

NO.1

omni

## Remote control bicycle rear light



**NO.2**

# Rear light function



**Short press on/off button  
Power display function**



**Long press on/off button  
On the rear light**



**Long press on/off button  
Off the rear light**

NO. 3

## USB Charging



*use rechargeable battery  
for rear light, long time endurance*

*use rechargeable battery for  
remote control, energy saving  
and environment friendly*



NO.4

## Product Detail




- |                 |                 |                |             |
|-----------------|-----------------|----------------|-------------|
| 1 Top cover     | 2 Light display | 3 Light frame  | 4 PCB board |
| 5 Laser light   | 6 Button        | 7 Bottom cover | 8 Battery   |
| 9 Battery cover | 10 Screw        | 11 Bracket     | 12 Shaft    |

NO.5

# Product Size




## Rear light size



## Remote control size



## Bracket size



NO. 6



**Clear detection in 5m distance,  
supply great safety for cycling  
at night.**



NO.7

180° degree



## 180 degree adjustable bicycle rear light



NO. 8



**High waterproof level  
bicycle rear light**

Waterproof: IPX4



Professional waterproof level.  
Advanced waterproof ability.



NO.9

# Accessories



1	433M rear light 1pcs	5	screw & nuts 3pcs
2	rear light remote control 1pcs	6	USB charging wire 1pcs
3	rear light bracket 1pcs	7	manual instruction 1pcs
4	rubber belt 1pcs	Note	rear light fixing screw & nut M5*30mm remote control screw & nut M5*20mm rear light bracket screw & nut M4*26.5mm

NO. 10

# Packging

