Emettitore trasmettitore portatile RF Radio OC321

Omni a mano <u>telecomando</u> include un emettitore per emettere un segnale di controllo riconoscibile da un apparecchio di intrattenimento. L'emettitore di trasmettitori è relativamente piccolo e leggero in modo da essere portatile e portatile, è molto conveniente per la tua vita!

Parameters

momentodel	Canale	Frequenza	Distanza	Batteria	attuale	Sensibilità
OC321-01	1	433.92MHZ	<80m	3V CR2032	≤10mA	-100dBm
OC321-02	2	433.92MHZ	<80m	3V CR2032	≤10mA	-100dBm
OC321-06	6	433.92MHZ	<80m	3V CR2032	≤10mA	-100dBm
OC321-16	16	433.92MHZ	<80m	3V CR2032	≤10mA	-100dBm





OC321-01 Single channel

Battery Type: CR2032 (3V) Working temp: -20°C~+55°C Frequency: 433.92MHz

Transmitting power : ≤10mW Channel quantity: Single channel Operation mode: Remote



OC321-02 Double channels

Battery Type: CR2032 (3V) Working temp: -20°C~+55°C Frequency: 433.92MHz

Transmitting power : ≤10mW Channel quantity: Double channels Operation mode : Remote



OC321-06 Six channels

Battery Type : CR2032 (3V) Working temp : -20°C~+55°C Frequency: 433.92MHz

Transmitting power : ≤10mW Channel quantity : Six channels Operation mode: Remote



OC321-16 Sixteen channels

Battery Type : CR2032 (3V) Working temp : -20°C~+55°C Frequency: 433.92MHz

Transmitting power : ≤10mW Channel quantity: Sixteen channels Operation mode: Remote