

GPS 定位 精度 高 定位 准确 定位 快速

GPS 定位 精度 高 (GPSGPRS), 定位 准确, 定位 快速 定位 快速 SMS 定位 精度 高 定位 准确. 定位 快速 APP 定位 精度 高 QR 定位 精度 高, GPRS 定位 精度 高 定位 准确, 定位 快速 APP 定位 精度 高 定位 准确, 定位 快速 定位 精度 高 **b** 定位 精度 高 **ike** 定位 精度 高 定位 准确 GPS 定位 精度 高 SMS 定位 精度 高 定位 准确.

Product Display



Chain



GPS+GPRS

Precision positioning via communication base, GPS, and Wi-Fi signal in GSM communication network



GPS Positioning



Automatic & scan code to unlock



IP6 Waterproof



Stable & Durable hardware



OTA




Efficient Unlocking



GPS positioning, reporting real-time timing information



Lock unlock the lock after the completion of the successful return to the server, the server began billing



After the end of the ride, the user manually lock, the end of billing and deduction.





External Power: Solar Penal on the bike



Al alloy shell,
10mm stainless steel circle,
sealed plastic box inside

IP67

(completely dust-proof,
rain-proof, soak 30min.)



Over 100,000 times endurance test
with different circumstances.

Product Specification

Model	OGG1(OGG 001)	Network	GPRS
System	Omni	Positioning	GPS, GSM, GPS, GSM, GSM, GSM
Frequency	196*150*65mm(±3mm)	Frequency	GSM850Mhz, EGSM900Mhz, DCS1800Mhz, PCS1900Mhz
Weight	1.2KG	Weight	1.2KG, SMS, SMS, SMS
Material	Aluminum, Steel, Plastic, Rubber	Material	Aluminum, Steel, Plastic, Rubber

IP67	IP67	IP67	IP67
2-3mm(0.08in)	2-3mm(0.08in)	2-3mm(0.08in)	2-3mm(0.08in)
5-12mm(0.19in-0.47in)	5-12mm(0.19in-0.47in)	5-12mm(0.19in-0.47in)	5-12mm(0.19in-0.47in)
2~3mA	2~3mA	2~3mA	2~3mA

Product Features		
Main Features	Material	Aluminum, Stainless Steel, Brass, Copper, Steel, Plastic
	Color	
	GSM Frequency	
	Size	
	Weight	
Material	GPRS Frequency	
Material	Material	
Material	Material	
Material	Material	
Material	Material	
	Material	
	Material	
Material	5V / 1A Power	(Power)
	Power	
Material	Material	
Material	Material	
Material	Material	
Material	Material	

Custom Question

Q: What is Omni?

A: Omni is a series of products that can be used in various environments. It has a wide range of applications and is suitable for different industries.

Q: OEM, ODM products are available?

A: MOQ=1000 PCS. We can provide ODM&OEM products. We can also provide custom products.

Q: What is the lead time for custom products?

A: 2-3 weeks for custom products.

?

Q: What is the R&D process? We can provide R&D services. We can also provide custom products.

- . 40□□ □□□□ □□ □□ R&D □□ □□ □□□□ □□□□ □□ □ □□□□.
- . □□□ □□ □ □□□ ODM □ OEM □□□.
- . □□ □□, □□ 10□ □□ 5% □□ □□□□ □□□□.
- . □□ □□ □□, □□□ □ □□ □□ □□.

?

A: □□ □□□ □□ □□□, □□ □□ □□□, □□ □□□ □□□ □□ □□□□ □□□□□.

Company introduction

□□ Omni Intelligent Technology Co., Ltd.□ □□□□ □ □□□□□ □□□ □□□ □□ □□ □□ □ □□□ □ □□□ R&D, □□ □ □□□ □□□□ □□ □□ □□ □□□ Shenzhen Lianchuang Technical Zone□ □□□□ □□□□.Omni □□□ □ □□ 100□ □□□ □□ □ □□□□ □□□ □□□□□.

Omni □□ □□, □□ □□□□, □□ □□□□ □□ □□□ □□□□□. □□□ □□□ □□ □□ □ □□□ □ □□□ □□ □□ □□ □□ □□ □□ □□□□ □□□□□.

- 30□ □□□ □□ □ □□ □□
- 40□ □□□ R&D □□□
- □□□ □ □□ □□□ □□ 4,000□□□□□ □□
- □□□□ □□□□□ □□ □□□ □□□ □□□



Flow chart



Workshop



Exhibition



Package



R&D Team



Sale Team



Business Negotiations



Shipping