



ELECTRIC CHAIN WINDOW OPENER
Electric Chain Motor is widely used for motorized slidling sash,
casement and skylight window etc, particular for high place
hard to manual operation, works with all kinds of remote
control and realize automation operation.







Wide Voltage 100-240V AC power supply: Apply to windows are mounted in high position, where people hard to reach. You could also use wireless remote control to operate the windows with an external receiver. It is easy and smart, which meets more demands.





Features

- $2. \ \square\square \ \square\square\square\square \ \square\square\square \ \square\square\square\square\square; \ \square\square \ \square\square\square\square\square \ 400mm\square \ \square\square \ \square \ \square \ \square\square\square\square.$
- $3.~470mm~\square\square\square~\square\square\square~\square\square~\square\square~\square\square~\square\square~\square\square.$
- $4. \square \square \square$, $10000 \square \square \square \square \square$
- $5. \ \Box\Box \ \Box\Box \ \Box\Box\Box\Box\Box \ \Box\Box \ \Box\Box\Box\Box\Box. \ \Box\Box \ \Box\Box\Box\Box\Box \ \Box\Box\Box\Box\Box.$

- 8. 00 0 000 0000.

Parameters

00 00.	00 00	00/0000	00	00 000	0 00	00 00			IP []]
CW68-S300N / 400mm	100-240VAC	300N / 300N	10mm / s	100 ~ 400mm	0.47 ~ 1.5m	28W	-20 °C ~ + 75 °C	460 * 42 * 55mm	IP43