OMNI

- $4. \,\, 000 \,\, 00 \,\, 000 \,\, 0000. \,\, 000 \,\, 0 \,\, 000 \,\, 0$
- $5. \ \, \Box\Box\ \, \Box\Box.\ \, \Box\Box\Box\ \, \Box\Box\Box\ \, \Box\Box\Box\ \, \Box\Box\Box\Box\ \, \Box\Box\Box\Box\ \, \Box\Box\Box\Box.$
- $6. \ \Box\Box\ \Box\ \Box\Box\ \Box\Box\ \Box\Box\ \Box\Box,\ \Box\Box\Box\ \Box\Box,\ \Box\Box\Box\ \Box\Box\Box\ \Box\Box\Box\Box\Box.$
- $8. \hspace{0.1cm} \bigcirc \hspace{0.1cm} \hspace{0.1cm} \hspace{0.1cm} \hspace{0.1cm} \bigcirc \hspace{0.1cm} \hspace{0.1cm} \bigcirc \hspace{0.1cm} \hspace{0.1cm}$







No holes



Stainless steel bolt



Invisible concealed




Easy installation

THICKENED SOLID STAINLESS STEEL BOLT

The safety factor of 8.5mm solid steel bolt is comparable to safe





LOW BATTERY WARNING AND PREVENTION SYSTEM

Alarm in low battery state and Bluetooth unlock to prevent locking, the lock is in normally open state



RICH APPLICATION SCENARIOS

Suitable for many types of furniture











PARAMETERS



Product characteristics: waterproof / moisture-proof /

high temperature / anti-corrosion, etc.

Dimensions: 62 x 57 x 20mm Weight (without battery): 52g Number of users: up to 45 users

HF emission: maximum 26dBµA at 10m Unlocking method: Bluetooth unlocking Product life: at least 100,000 times open

Scope of application: single-open and double-open cabinet doors such as drawers and shoe cabinets