
## Home Automation Residential Automatic Sliding Door Operator System



## PRODUCT PARAMETER

Model	DM880A
Colour	Black /White
Power Supply	110-240 VAC, 24V DC Power Adapter
Maximum Door Width	10 meters
Maximum Door Weight	60KGS
Length of Racks in Package	1 meter
Extension Rack	0.5m/piece
Product Size	512mm*72mm**69mm
Product Weight	3KGS





## PRODUCT DETAILS




**Automatic Mode(Green LED)**—Door/Window will open after the sensor or remote control being triggered, and close automatically after the preset time.

Hold open Mode(Blue LED)—Door/Window will open and keep full open until changed to other modes.

Manual Mode(Red LED)—Door/Window could be operated by hands, operator will not drive it.

**Pet Mode(Orange LED)**—Door will open to the width has been set for pet after the pet sensor being triggered, and close automatically after the preset time.

## INSTALLATION EXAMPLE



 $\textbf{Top mount 1} \\ \square \\ \text{Install the operator onto the top of the Door/Window. Sliding part is Door/Window's left side.}$ 

 $\textbf{Top mount 2} \\ \square \\ \textbf{Install the operator onto the top of the Door/Window. Sliding part is Door/Window's right side.}$ 

**Bottom mount 1**[Install the operator onto the bottom of the Door/Window. Sliding part is Door/Window's left side.

**Bottom mount 2** $\square$ Install the operator onto the bottom of the Door/Window. Sliding part is Door/Window's right side.